



**EVO LUX**®  
LUXURY EVOLVING

**Iris**



## Iris

Bright and inviting, the Iris Series mirrors the light, natural tones of softwood, infusing spaces with an airy and open ambiance.

Iris Oil 7"x48"

SPC Rigid Core Click Floating - 20mil - Wood Embossed



7"x48"



Iris Maple 7"x48"



Iris Blonde 7"x48"



Iris Bleached 7"x48"

# Iris

SPC Rigid Core Click Floating

5 mm




Finish  
NANO SILVER  
COATING

IXPE Pad  
Attached

**7"x48"** 20 mil - Wood Embossed  
18x122 cm



## Off White



**7"x48"**  
EVIRISL002



## Almond



**7"x48"**  
EVIRISL139



## Oak



**7"x48"**  
EVIRISL004

\*Coordinating Trims Available  
T-mold, reducer, stairnosing.



Iris Off White 7"x48"



Iris Almond 7"x48"



Iris Oak 7"x48"

# Iris

SPC Rigid Core Click Floating

5 mm



Finish  
NANO SILVER  
COATING

IXPE Pad  
Attached


**7"x48"** 20 mil - Wood Embossed  
18x122 cm



Iris Walnut 7"x48"



## Bleached



**7"x48"**  
EVIRISLO05



## Walnut



**7"x48"**  
EVIRISL601



## Maple



**7"x48"**  
EVIRISLO15



## Oil



**7"x48"**  
EVIRISLO03



## Blonde



**7"x48"**  
EVIRISLO12



## Smoke



**7"x48"**  
EVIRISLO11

\*Coordinating Trims Available  
T-mold, reducer, stairnosing.

# Iris

## SPC Rigid Core Click Floating

### Technical Specifications

	Standard	Result
Thickness		5.0mm
Size		7"x48"
Material		SPC
Wear Layer		20 mil
Surface Treatment		Nano Silver Coating
Surface Texture		Wood Emboss
Padding		1mm IXPE
Warranty	Commercial / Residential	15 year Commercial / Limited Lifetime Residential
Installation		Unilin Click
Beveled Edge		No
Smoke Density	ASTM E662-06	Pass <450
Static Coefficient of Friction	ASTM C1028	Pass
Chemical Resistance	ASTM F925	Pass
Resistance to light	ASTM F1515	Pass
Abrasion resistance	ASTM D4060	Pass
Dimensional stability	ASTM F2199	Pass
Acoustic impact noise reduction IIC	ASTM E492-09	IIC = 62 dB 6" concrete slab drop ceiling
Calculated Sound Transmission STC	ASTM E413-16	STC = 68 db
Static load	ASTM F970	Pass
Indentation	ASTM F1914	Pass
Phthalate free		Yes



### Packaging Information

Size	SF per carton	PC per carton	BX per pallet
7"x48"	23.90	10	60