



**Roca**

**Jewels**

# Jewels

The brilliance of marble is captured in this stunning tile collection, which radiates sophistication and elegance. Whether you prefer a polished or matte finish, each tile features a distinct marble-inspired design that replicates the natural beauty and uniqueness of these stones. With a vast array of options to choose from, this collection caters to every taste and style.

## Glazed Porcelain

📏 24"x48" R - 12"x24" R

Vince White 24"x48"



Etienne 12"x24" R




Laurent White 24"x48" R



Mattia White 12"x24" R

# Jewels

Glazed Porcelain



24"x48" R 12"x24"  
60x120 cm 30x60 cm



## Etienne Cream



24"x48" R PO  
UETIENPOILBE



24"x48" R UP  
UETIENUPI1LBE



12"x24" R PO  
UETIENPO16HE



12"x24" R UP  
UETIENUPI16HE



## Etienne Light Gray



24"x48" R PO  
UETIENPO1LBL



24"x48" R UP  
UETIENUPI1LBL



12"x24" R PO  
UETIENPO16HL



12"x24" R UP  
UETIENUPI16HL



## Etienne Gray




24"x48" R PO  
UETIENPO1LBI



24"x48" R UP  
UETIENUPI1LBI



12"x24" R PO  
UETIENPO16HI



12"x24" R UP  
UETIENUPI16HI




Etienne Gray 12"x24" R

# Jewels

Glazed Porcelain

6.5-8.0 mm | 24"x48" R 12"x24" | 60x120 cm 30x60 cm



## Laurent White



24"x48" R PO  
ULAURPO1LBV



12"x24" R PO  
ULAURPO16HV



12"x24" R UP  
ULAURUP16HV



## Mattia White



24"x48" R PO  
UMATTIPO1LBV



12"x24" R PO  
UMATTIUPI1BV



24"x48" R UP  
UMATTIPO16HV



12"x24" R UP  
UMATTIUPI6HV



Laurent White 24"x48" R



Mattia White 12"x24" R

# Jewels

Glazed Porcelain



24"x48" R 60x120 cm  
12"x24" 30x60 cm




## Maurice Black




24"x48" R PO  
UMAURO1LBW



## Therry Cream



12"x24" R PO  
UTHERRPO16HE



12"x24" R UP  
UTHERRUP16HE



Maurice Black 24"x48" R



Therry Cream 12"x24" R

# Jewels

Glazed Porcelain

6.5-8.0 mm |  | **24"x48" R** 12"x24"  
60x120 cm 30x60 cm



## Vince White



**24"x48" R PO**  
UVINCEPO1LBV



**12"x24" R PO**  
UVINCEPO16HV



**24"x48" R UP**  
UVINCEUP1LBV



**12"x24" R UP**  
UVINCEUP16HV

## Technical Specifications

| CHARACTERISTICS                        | STANDARD  | DECLARED ASTM                 |                               |
|--|-----------|-------------------------------|-------------------------------|
|  |           | Polished                      | Unpolished                    |
| Water Absorption                       | C373      | <=0.5%                        | <=0.5%                        |
| Break Strength                         | C648      | Min. 275                      | Min. 275                      |
| Chemical Resistance                    | C650      | Class A (Resist) <sup>1</sup> | Class A (Resist) <sup>1</sup> |
| Stain Resistance                       | C1378     | Class A                       | Class A                       |
| Frost Resistance                       | C1026     | Resistant                     | Resistant                     |
| Thermal Shock Resistance               | C484      | Resistant                     | Resistant                     |
| Crazing Resistance                     | C424      | Resistant                     | Resistant                     |
| Group                                  | See FAQ's | 4                             | 4                             |
| PEI- Glazed Tiles                      | C1027     | PEI (III)                     | PEI (III)                     |
| Dynamic Coefficient of Friction (DCOF) | A326.3    | <0.42                         | >=0.42                        |
| Shade and Texture Rating               | CTDA "V"  | V2-V3                         | V2-V3                         |
| Facial Dimensions                      | C499      | Pass                          | Pass                          |
| Range of Thickness                     | C499      | Pass                          | Pass                          |
| Warpage                                | C485      | Pass                          | Pass                          |
| Wedging                                | C502      | Pass                          | Pass                          |

## Packaging Information

| Size                | SF per carton | PC per carton | Bx per pallet |
|---------------------|---------------|---------------|---------------|
| 12"x24" R           | 9.69          | 5             | 64            |
| 24"x48" R           | 23.25         | 3             | 24            |
| 24"x48" R (Maurice) | 15.50         | 2             | 25            |



Vince White 24"x48" R